

Executive Summary

OVERVIEW

K[Yđ 'g^j]ljgP'K[gj] 'zgm'g^) /&.)	¥ @a`]kl k[gjđ _ 'gj'đj_] %k[Yđ 'j]ljgP ')
metres 7840	¥ ¥ □ □ □ □ □ □ □ □ □ □ □ □ □ □

Frontenac Mall Study Area

J][ge e]f\Ylajf) 2e hjgn] [gff][l andqZq'Y\đ _f]o 'klj]]Ik'Yf\ 'đl]jk][lajfk&

Recommendation 2: Increase residential and employment density and diversity by adding new buildings on
 mf\]jmatr]\ 'hyjcf_&

<]fkaqYf\ \an]jkaq'o]]] [gfka]j]\ dgo 'o`] f'[ge hyjđ _l`]k] 'nyat]kY_Yđ kl'Yj_]Ik'đj 'đl]fka[Ylajf '[gjjâ gjk' Yf\ \an]jkaqZq'mkf _kge] 'g^l` đ'hYjcf_ 'gj'đj Pđ\]n] dthe] fl&LYZđ ' * \]IYđ l`] 'đ\ an'Ydj] kmđk'g^l` đ'klm'q

J][ge e]f\Ylajf '+2 gfka]j 'l` đ'Yj]Y'đj 'Y'đj_] k[Yđ 'j]ljgP'\]n] dthe] fl'ka] &

L` đ'Yj]Y'k[gj]\ 'Yđ d` a` 'gf'l`] K[Yđ 'g^j]ljgP'K[gj] '\n] 'lg'l`] 'hj]k] f[] 'g^; Ye hmk Yf\ '=đklđ 'lđkm]k&L`]'

Table 2: Frontenac Mall Study Area results

K[Yd'g^J]ljgP'K[gj] 'zgm'g^ &1	¥ E á\q'k[gjáf_'g'ðj_]%(Yd'j]ljgP

Kingston Centre Study Area

J][ge e]f\Ylqf') 2 gfka]j'] []fljYdhYjI'g^I' á'Yj]Y'gj'Y'ke Ydk[Yd'j]ljgP'hjgq[I&
 O`q']' á'klmq'Yj]Y'K[gj]\`qo]kl'gf'K[Yd'g^J]ljgP'K[gj]\$I']'klj]f_'k'Yf\`o]Ycf]kk]k'knj]gnf\á_'I']'
 []fljYdhjgh]jlá'k'km_]kl'I'Yl'á'`Yk'I']'hgl]flá'd'gj'Y'ke Yq]%(Yd'j]ljgP'g[mka' _gf'æ hjgná'_[gff][lqf'k'lg'

Cá_klgf';]flj] 'Klmq'9j]YJ][ge e]f\Ylqf' *2 j]Yl] 'njZYf'Zq[ck'lg'á']j]Yk] [gff][lanaq&
 L' á'Yj]Y'K[gj]\`o]qgf [gff][lanaq\$Zm'I']j] 'Yj] 'Yj]Yk'o`]j] 'æ hjgn]\`[gff][lanaq[gmá'Z]'Z]f]P[á'á'9\á' _'
 Y[]k'lg'I']'klmq'Yj]Y'lg'I']'\ljæ]fl'g^[gff][lanaq&F'o'klj]]Ik'k' gmá' Bjkl'Z']j]Yl]\lg[gff][l'knj]gnf\á' _'

Kingston Centre Study Area Recommendation 3: Increase density by adding new buildings for residential and
]e hqpe]fl'ntk]k&

F]o'Zmá'á'k'k' gmá' 'jYe]'klj]]Ik\$ _á'á' khYlá'd\ P'á'qf'Yf\`æ hjgná'_'I']'h]\kljá'f']fnjgfe]fl'á'_'I']'Yj]Y&

