

Immunization Recommendations

Welcome to Queen's University!

This document-4.23.p q.9 ron /P << (5/78/5 705 (e) 0/45 7/19 947 E/c 20/11/11 (0/18/36) of d (4secar /D 15C /T-48 Tmt)-

Vaccine Recommendations

	Booster dose every 10 years		of adolescents and adults in Canada are at risk of becoming infected with pertussis because protection from childhood vaccinations against pertussis decreases with time.
Varicella	2 doses as a child or 2 doses as an adult if not immune	Yes Yes	All university and college students who have not had chickenpox as a child, or without other evidence of immunity, should receive this vaccine. Adults who become infected with chickenpox are at higher risk of serious side H • H F W V.

			very young children, elderly and immunocompromised individuals.
– Q 5 X H (Q) D	Annually in the late fall, early winter	Yes	This vaccine can help reduce the incidence and/or severity of the long -lasting respiratory illness H V L Q F O X G L Q J W K H 5 X Z K L F K F L U each year on campus . Flu vaccine clinics usually run in late -fall/early-winter on campus , and in the Kingston community, based on vaccine availability.
COVID-19 (Coronavirus)	As directed by a primary care provider	Yes	Queen’s University strongly encourages all members of the campus community to get vaccinated against COVID-19. Along with public health measures such as frequent hand hygiene and use of face coverings, vaccination is the most important step you can take to protect yourself, each other, and our community.

NOTE: Vaccines not publically funded may be covered by other supplementary insurance plans (e.g., Queen's AMS and SGPS Supplementary Health and Dental Plan covers 80% of the cost)